

Operator
Telephone
Fax
e-Mail

Table of contents

Project 1	
Table of contents	1
NOVETE L4930BM-W45	2
Luminaire Data Sheet	3
Street 1	
False Color Rendering	4
Valuation Fields	
Valuation field street 1	
Isolines (E)	5
Value Chart (E)	6




Operator
Telephone
Fax
e-Mail

Project 1 / Luminaire parts list

12 Pieces NOVETE L49530BM-45W45
(Type 1) Article No.:
Luminous flux (Luminaire): 3509 lm
Luminous flux (Lamps): 3510 lm
Luminaire Wattage: 44.9 W
Luminaire classification according to CIE: 96
CIE flux code: 44 79 97 96 100
Fitting: 1 x self-define
(Correction Factor 1.000).

See our luminaire
catalogue for an image
of the luminaire.




Operator
Telephone
Fax
e-Mail

L49530BM-45W45 / Luminaire Data Sheet

See our luminaire catalogue for an image of the luminaire.

Luminous emittance 1:




Luminaire classification according to CIE: 96
CIE flux code: 44 79 97 96 100

Due to missing symmetry properties, no UGR table can be displayed for this luminaire.

Operator
Telephone
Fax
e-Mail


Street 1 / False Color Rendering



0 0.50 1 2 3 4 5 10 20 lx

Operator
Telephone
Fax
e-Mail

Street 1 / Evaluation field 1 / Isolines (E)




Values in Lux, Scale 1 : 222

Grid: 10 x 6 Points

E_{av} [lx]	E_{min} [lx]	E_{max} [lx]	u0	E_{min} / E_{max}
11	6.41	16	0.579	0.391

Operator
Telephone
Fax
e-Mail

Street 1 / Evaluation field 1 / Value Chart (E)



Values in Lux, Scale 1 : 222

Grid: 10 x 6 Points

E_{av} [lx]	E_{min} [lx]	E_{max} [lx]	u0	E_{min} / E_{max}
11	6.41	16	0.579	0.391