

SAS Series

Tender / Bid specifications :



Specifications for Non-Motorized Projection Screen:

- Screen Size: 1580mm x 1580mm to 2440mm x 2440mm
- Screen Gain: 1.2
- Viewing Angle: 160 degrees viewing cone
- Screen Materials: Matte White with fibreglass coating,
Flame Retardant and fungus resistant
- Construction & Design: Heavy Duty aluminium casing with powder-coating finishing
Strong tensioning device to ensure flat screen
Auto-Gear Mechanism for precise and effective stopping at desired height
Auto-Gear Mechanism to allow screen roll up smoothly and steady like a motorized screen
- Installation: Come with universal brackets for wall or ceiling mounting
Screen position can be adjusted horizontally even after installed

Dimension of SAS Series Screen

Casing Sectional View

SAS-1515 to SAS-2424



Screen Casing Width = Screen Width + 60mm (SAS-1515 to SAS-1818)

Screen Casing Width = Screen Width + 65mm (SAS-2121)


Screen Casing Width = Screen Width + 72mm (SAS-2424)

Pelmet Mounting: Recommended Pelmet Size


SAS Series (Standard Size)

Recommended Pelmet Width = Screen Casing Width + 100mm

Screen Casing Width = Screen Width + 65mm (SAS-2121)
 Screen Casing Width = Screen Width + 72mm (SAS-2424)



Pelmet depth and height (Minimum)




Pelmet Mounting: Recommended Pelmet Size


SAS Series (Standard Size)

Recommended Pelmet Width = Screen Casing Width + 100mm

Screen Casing Width = Screen Width + 65mm (SAS-2121)
 Screen Casing Width = Screen Width + 72mm (SAS-2424)



Pelmet depth and height (Minimum)




Pelmet Mounting: Recommended Pelmet Size


SAS Series (HDTV Format)

Recommended Pelmet Width = Screen Casing Width + 100mm

Screen Casing Width = Screen Width + 65mm (SAS-2212H)
 Screen Casing Width = Screen Width + 72mm (SAS-2414H)



Pelmet depth and height (Minimum)




Pelmet Mounting: Recommended Pelmet Size


SAS Series (Video Format)

Recommended Pelmet Width = Screen Casing Width + 100mm

Screen Casing Width = Screen Width + 65mm (SAS-2217V)
 Screen Casing Width = Screen Width + 72mm (SAS-2418V)



Pelmet depth and height (Minimum)




Pelmet Mounting: Recommended Pelmet Size

SAS Series (Video Format)

Recommended Pelmet Width = Screen Casing Width + 100mm

Screen Casing Width = Screen Width + 64mm (SAS-1710W)
 Screen Casing Width = Screen Width + 74mm (SAS-2012W)



Pelmet depth and height (Minimum)

