

TEN Series

Tender / Bid specifications :


Specifications for Motorized Projection Screen:

| | | |
|--------------------------------|---|---|
| Image Size | : | 1630mm x 1220mm to 3660mm x 2740mm |
| Motor Type | : | AC Tubular Motor; Silent Type |
| Motor Speed | : | 17 rpm |
| Operating | : | 120 deg. Celsius (thermostat cut off motor) |
| Fabric Roll Speed | : | 4.8 m/min |
| Screen Gain | : | 1.1 |
| Viewing Angle | : | 160 degrees viewing cone |
| Screen Materials | : | Matte White, Vinyl fabric, Flame Retardant and fungus resistant |
| External Wired Control | : | Normally open, momentary contact closure (voltage free) |
| IR Remote Sensitivity Distance | : | Maximum 15 metres |
| Sensor Coverage | : | 160 deg. (horizontal) 150 deg. (vertical) |
| Power Consumption | : | 121W |
| Current | : | 0.53A |
| Voltage | : | 20 - 240 VAC, 50/60 Hz |


Pelmet Mounting: Recommended Pelmet Size

TEN Series (HDTV Format)

Recommended Pelmet Width = Screen Casing Width + 100mm



Screen Casing Width = Image Width + 440mm




| Model | Image Width |
|--------------|--------------------|
| TEN-1609H | 1550mm |
| TEN-1810H | 1780mm |
| TEN-2011H | 2030mm |
| TEN-2212H | 2210mm |
| TEN-2414H | 2440mm |
| TEN-2715H | 2720mm |
| TEN-2816H | 2880mm |
| TEN-3319H | 3320mm |
| TEN-3721H | 3760mm |


Pelmet Mounting: Recommended Pelmet Size

TEN Series (Video Format)

Recommended Pelmet Width = Screen Casing Width + 100mm



Screen Casing Width = Image Width + 440mm




| Model | Image Width |
|--------------|--------------------|
| TEN-1612V | 1630mm |
| TEN-1814V | 1830mm |
| TEN-2015V | 2030mm |
| TEN-2217V | 2230mm |
| TEN-2418V | 2440mm |
| TEN-2721V | 2740mm |
| TEN-3023V | 3050mm |
| TEN-3627V | 3660mm |


Pelmet Mounting: Recommended Pelmet Size

TEN Series (Wide Screen Format)

Recommended Pelmet Width = Screen Casing Width + 100mm



Screen Casing Width = Image Width + 440mm



| Model | Image Width |
|--------------|--------------------|
| TEN-1509W | 1500mm |
| TEN-1710W | 1750mm |
| TEN-2012W | 2050mm |
| TEN-2113W | 2150mm |
| TEN-2314W | 2360mm |
| TEN-2717W | 2740mm |
| TEN-3220W | 3120mm |
| TEN-3622W | 3660mm |